

K833 Cable Datasheet

SC, OA1 8p, open, TR

Signal cable between CSM measurement module and sensor for measurement signal, open cable end; programmable TEDS chip integrated

Description

Signal cables are especially manufactured for CSM. They use a robust line and are characterized by a high interference resistance and a good signal quality. The cable is flexible and chemical resistant, including fuel and oil.

Temperature


The specified temperature range of the main cable excluding connectors is -40 °C to 150 °C. The specified temperature range for connectors may vary depending on the type (e.g. LEMO B connector: -55 °C to 250 °C; D-Sub: -55 °C to 105 °C; Banana: -40 °C to 80 °C; LEMO Redel: -50 °C to 150 °C).

Bending Radius

5 × Diameter

Connectors


A OA1 8-pole Code: C male
B open



Frontal view connector


Variants

Item No.	Cable Name	Length
ART1421010	K833-0120	1.2 m
	l1: 0.05 m	
ART1421011	K833-0200	2 m
	l1: 0.05 m	
ART1421020	K833-0700	7 m
	l1: 0.05 m	



Picture similar to actual product

Overview



Pinning

Con. A Pin	ADMM Signal	STGMM Signal	Cable Wire Color
1	VIN-	VIN-	purple
2	VIN+	VIN+	blue
3	VOUT0	VOUT-	pink
4	VOUT+	VOUT+	red
5	VOUT-	VSENS-	grey
6	-	VSENS+	green
7	Channel shield	Channel shield	black (Drain wire)
8	Data *)	Data *)	yellow
Housing	Cable shield	Cable shield	-

*) Only for measurement modules with TEDS support



CSM GmbH Headquarters (Germany)

Raiffeisenstraße 36 • 70794 Filderstadt

☎ +49 711-77 96 40 ✉ sales@csm.de

CSM Office Southern Europe (France, Italy)

Site d'Archamps

60, rue Douglas Engelbart • Immeuble ABC 1, Entrée A – 1er étage

74160 Archamps, France

☎ +33 450-95 86 44 ✉ info@csm-produits.fr

CSM Products, Inc. USA (USA, Canada, Mexico)

1920 Opdyke Court, Suite 200 • Auburn Hills, MI 48326

☎ +1 248 836-4995 ✉ sales@csmproductsinc.com

CSM (RoW)

Vector Informatik (China, Japan, Korea, India, Great Britain)

ECM AB (Sweden)

DATRON-TECHNOLOGY (Slovakia, Czech Republic)

Our partners guarantee you worldwide availability.

Feel free to contact us.

CSM GmbH Germany is certified.



All trademarks mentioned are property of their respective owners.

Specifications are subject to change without notice.

CANopen® and CiA® are registered community trademarks of CAN in Automation e.V.

EtherCAT® is registered trademark and patented technology, licensed by Beckhoff Automation GmbH, Germany..