

# **K356 Cable Datasheet**

### SC, L1B 8p, open, 1/4, T

Signal cable between CSM measurement module and strain gauge sensor with quarter bridge completion for 120 Ohm resp. 350 Ohm

### **Description**

Signal cables are especially manufactured for CSM. They use a robust line and are characterized by a high interference resistance and a good signal quality. The cable is flexible and chemical resistant, including fuel and oil.

#### **Temperature**


The specified temperature range of the main cable excluding connectors is -40 °C to 150 °C. The specified temperature range for connectors may vary depending on the type (e.g. LEMO B connector: -55 °C to 250 °C; D-Sub: -55 °C to 105 °C; Banana: -40 °C to 80 °C; LEMO Redel: -50 °C to 150 °C).

#### **Bending Radius**

5 × Diameter

#### **Connectors**

Α	LEMO 1B	8-pole	Code: G	male
В	open			




#### **Variants**

Item No.	Cable Name		Length
ART1420101	K356-0200 /350		2 m
	l1: 1 m	l2: 1 m	
ART1420102	K356-0200 /120		2 m
	l1: 1 m	l2: 1 m	
ART1420105	K356-0500 /350		5 m
	l1: 1 m	l2: 4 m	



Picture similar to actual product

#### Overview



## Pinning

Con. A	Con. A Cable		Circuit	Con. B
Pin	Signal	Wire Color		Wire Color
1	VIN-	purple	VT• • VT	purple
2	VIN+	blue	BU•——X	-
3	VOUT-	pink	PK• • PK	pink
4	VOUT+	red	RD• R / •RD	red
5	VSENSE-	grey	GY•	-
6	VSENSE+	green	Drain Drain	-
7	TEDS GND Channel shield	Drain wire	Wire Wire	Drain wire
8	TEDS Data	yellow	Shield• Shield	-
Housing	Cable shield	-		-
-	-	-	V <sub>IN-</sub> violett	-
-	-	-	red Strain gage	-
-	-	-	Vout- pink	-
-	-	-	Channel shield = drain wire	-

<sup>\*)</sup> R is 120 resp. 350 ohm, depending on ART



#### **CSM GmbH Headquarters** (Germany)

Raiffeisenstraße 36 · 70794 Filderstadt \$\dagger +49 711-77 96 40 \$\overline{\Sigma}\$ sales@csm.de

#### **CSM Office Southern Europe** (France, Italy)

Site d'Archamps
60, rue Douglas Engelbart • Immeuble ABC 1, Entrée A – 1er étage
74160 Archamps, France
\$\display +33 450-95 86 44 \omega info@csm-produits.fr

#### **CSM Products, Inc. USA** (USA, Canada, Mexico)

#### CSM (RoW)

Vector Informatik (China, Japan, Korea, India, Great Britain)
ECM AB (Sweden)
DATRON-TECHNOLOGY (Slovakia, Czech Republic)

Our partners guarantee you worldwide availability. Feel free to contact us.

#### CSM GmbH Germany is certified.



All trademarks mentioned are property of their respective owners. Specifications are subject to change without notice. CANopen® and Cia® are registered community trademarks of CAN in Automation e.V. EtherCAT® is registered trademark and patented technology, licensed by Beckhoff Automation GmbH, Germany...